

PureKleen-BG Surface Cleaner

Detailed Specifications



PureKleen-BG

Surface Cleaner

PureKleen is a high-performance renovating cleaner used to remove organic and microbiological growth contaminants from porous surfaces without the need for excessive scrubbing or pressure wash. Supplied in a light gel, it is designed to both clean and provide ongoing protection from moss, lichen and algae, and does not contain solvents, acids or caustic soda so is very environmentally friendly. PureKleen-BG is designed for hard ground surfaces such as natural stone, cement, tarmac, brick, terracotta etc. It is ideal for cleaning ground hardscapes before or after fixing Oak cladding/features and is also very effective in removing tannin stains from paved areas and such like.

- Suitable for cleaning most stone, concrete, brick, tarmac and clay substrates
- Professional strength & concentrated solution - highest performance with less packaging and space
- Once applied, will typically keep working for up to 2-3 years
- Reduces ongoing maintenance costs
- Scrubbing or power washing not required



✓ Technical Data

■ Colour	Pale straw
■ Odour	Characteristic
■ pH	< 12
■ VOC	0g/litre
■ Solubility in water	Soluble
■ Specific gravity	1.09
■ Manufacturer	Rocan Products Ltd

✓ Additional Information

- **Coverage** - Depends on the porosity of the substrate. The more porous the surface, the less the coverage rate will be. Heavy soiling: 3m²/litre. Light soiling: 5m²/litre.
- **Equipment cleaning** - Clean tools and equipment with clean, warm water.
- **Storage & shelf life** - Store away from frost and heat in a dry place: temperature between 5°C and 30°C. Shelf life is 12 months from the production batch date, when kept in the original unopened container.
- **Health & safety** - See Material Safety Data Sheet before use. Never mix or add any other cleaners or acid product.



✓ Application Instructions

- Always test apply on a small, preferably hidden, portion of the substrate before commencing works.
- Supplied ready to use.
- Apply neat product to a dry or damp surface with a brush, roller or sprayer.
- Soak the complete area with a generous and even application.
- Leave for 20 - 90 minutes. Agitation with scrubbing brush may enhance cleaning action. To brighten paths and patios, leave longer before rinsing (up to 8 hours).
- Rinse with water, then allow to dry.
- If soiling is still present, a repeated application may be required.
- Ideally protect the cleaned surface with PureScape to limit re-growth.

Important: The content of this documentation is based on Hewins Timber Ltd / Rocan Products Ltd experience of the product. Rocan Products Ltd guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with Rocan's products or bad weather conditions. For further information, refer to the safety data sheet.

Date of last update: 10.04.2018





Hewins Timber Ltd
Mill Lane, Lopen,
South Petherton,
Somerset, TA13 5JS

T: 01460 241777
F: 01460 241341
E: sales@hewinsoak.com
W: www.hewinsoak.com

